

Preferential model and argumentation semantics

Nico Roos

*Department Knowledge Engineering
P.O.Box 616, 6200 MD Maastricht, The Netherlands
email: roos@maastrichtuniversity.nl*

Abstract

Although the preferential model semantics is the standard semantics for non-monotonic reasoning systems, it is not used for argumentation frameworks. For argumentation frameworks, instead, argumentation semantics are used. This paper studies the relation between the two types of semantics. Several argumentation semantics are related to additional constraints on the preference relation over states in the preferential model semantics. Moreover, based on the preferential model semantics a new argumentation semantics is proposed.

1 Introduction

Argumentation systems are becoming increasingly important for common sense and legal reasoning, negotiating agents, planning, and so on. An important issue is the underlying semantics of an argumentation system. The semantics of an argumentation system containing defeasible arguments is usually defined with respect to an *argumentation framework*. An argumentation framework is an abstraction of an argumentation system with respect to which an *argumentation semantics* is defined [5].

Argumentation with defeasible arguments is a special case of *non-monotonic reasoning*. The *preferential model semantics* is the standard semantics for non-monotonic reasoning systems [6, 7, 8]. This raises the question whether a preferential model semantics can be defined for argumentation frameworks? If a preferential model semantics can be defined, how does it relate to the well-known argumentation semantics? Finally, does it give us new insights with respect to how argumentation semantics should be defined?

Paper outline In the next section, the definitions of argumentation semantics and of preferential model semantics are given. Section 3 proposes a preferential model semantics for argumentation frameworks, and Section 4 presents some examples of the proposed preferential model semantics. Section 5 establishes relations with well known argumentation semantics, and proposes a new argumentation semantics based on the preferential model semantics. Section 6 concludes the paper.

2 Preliminaries

2.1 Argumentation semantics

We use Dung's argumentation framework as a starting point [5].

Definition 1 *An argumentation framework is a couple $AF = \langle \mathcal{A}, \longrightarrow \rangle$ where \mathcal{A} is a finite set of arguments and $\longrightarrow \subseteq \mathcal{A} \times \mathcal{A}$ is an attack relation over the arguments.*

For convenience, we extend the attack relation \longrightarrow to sets of arguments.

Definition 2 *Let $A \in \mathcal{A}$ be an argument and let $S, \mathcal{P} \subseteq \mathcal{A}$ be two sets of arguments. We define:*

- $S \longrightarrow A$ iff for some $B \in S$, $B \longrightarrow A$.

- $A \longrightarrow S$ iff for some $B \in S$, $A \longrightarrow B$.
- $S \longrightarrow \mathcal{P}$ iff for some $B \in S$ and $C \in \mathcal{P}$, $B \longrightarrow C$.

We wish to select coherent subsets of arguments \mathcal{E} from the set of arguments \mathcal{A} of the argumentation framework $AF = \langle \mathcal{A}, \longrightarrow \rangle$. Such a set of arguments \mathcal{E} is called an *argument extension*. The arguments of an argument extension support propositions that give a coherent description of what might hold in the world. Clearly, a basic requirement of an argument extension is being *conflict-free*; i.e., no argument in an argument extension attacks another argument in the argument extension. Beside being conflict-free, we will use the notion of an admissible set of arguments and the notion of an argument that is acceptable w.r.t. a set of arguments.

Definition 3 Let $AF = \langle \mathcal{A}, \longrightarrow \rangle$ be an argumentation framework and let $S \subseteq \mathcal{A}$ be a set of arguments.

- S is conflict-free iff $S \not\rightarrow S$.
- S is admissible iff S is conflict-free and for every argument $A \in \mathcal{A}$: if $A \longrightarrow S$, then $S \longrightarrow A$.
- $A \in \mathcal{A}$ is acceptable w.r.t. S iff for every argument $B \in \mathcal{A}$, if $B \longrightarrow A$, then $S \longrightarrow B$.

Not every conflict-free set of arguments is considered to be an argument extension. Several additional requirements have been formulated by Dung [5], resulting in different semantic definitions.¹

Definition 4 Let $AF = \langle \mathcal{A}, \longrightarrow \rangle$ be an argumentation framework and let $\mathcal{E} \subseteq \mathcal{A}$.

- \mathcal{E} is a stable extension iff \mathcal{E} is conflict-free and for every argument $A \in (\mathcal{A} - \mathcal{E})$, $\mathcal{E} \longrightarrow A$.
- \mathcal{E} is a preferred extension iff \mathcal{E} is maximal (w.r.t. \subseteq) admissible set of arguments.
- \mathcal{E} is a complete extension iff (i) \mathcal{E} is an admissible set of arguments, and (ii) every argument $A \in \mathcal{A}$ that is acceptable w.r.t. \mathcal{E} belongs to \mathcal{E} .
- \mathcal{E} is a grounded extension iff \mathcal{E} is the minimal (w.r.t. \subseteq) complete extension.

Note that the requirements of the stable semantics are quite strong. As a result a stable extension need not exist. It may not be possible to defend a set of arguments an against attacking argument. The odd loops shown in Figure 1 are examples of such problematic cases.




Figure 1: Odd attack loops.

Baroni et al. [2] propose to handle odd loops in the same way as even loops by selecting conflict-free subsets of the arguments involved in the loops. Their *CF2 semantics* formalizes this point of view. In the example of Figure 1.a, it gives us the argument extensions: $\{A\}$, $\{B\}$ and $\{C\}$.

Unfortunately, the CF2 semantics does not capture our intuitions with respect to the handling of odd loops in all circumstances. For instance, an odd loop that also contains a self-attack, as shown in Figure 1.b, is not handled intuitively correct. According the CF2 semantics, there are two argument extensions, namely $\{A\}$ and $\{B\}$. However, the self-attack of the argument C ensures that the argument A does not depend on the argument B . Hence, the argument A should always be acceptable and the argument B never.

Justified arguments The existence of multiple argument extensions indicates uncertainty about which argument extension should describe the world. Using a skeptical view, we can only be certain of arguments that belong to every argument extension. These arguments are called the *justified* arguments. We can believe the propositions supported by the justified arguments because these arguments are present in every argument extension.

¹In the last decade several new argumentation semantics have been proposed; for an overview, see [1, 3].

2.2 Preferential model semantics

Preferential model semantics were introduced by Shoham [9] and were subsequently extended to a general semantic theory by Makinson [7] and Kraus et al. [6]. The definitions given below are based on the formalization given by Makinson in [8].²

We start with a propositional language \mathcal{L} for which we define the preferential model semantics. The preferential model semantics uses *preferential models* to define an agent's beliefs given its knowledge about the world.

Definition 5 A preferential model $P = (S, \models, <)$ is a triple where:

- S is a set of states,
- $\models \subseteq (S \times \mathcal{L})$ is an arbitrary relation between states and propositions, called the entailment relation³,
- $< \subseteq (S \times S)$ is an arbitrary relation between states, called the preference relation.

Note that a preferential model does not specify what the states and the entailment relation exactly are. In general, one can view a state as an interpretation or a set of interpretations of propositional or first order logic. The entailment relation can then be viewed as a specification of the semantics of a proposition with respect to a state. For the moment, however, we do not consider such a restricted view on what the states and the entailment relation represent. Note that the preference relation denotes that we prefer a state s to a state s' if $s < s'$.⁴

A preferential model $P = (S, \models, <)$ can be used to specify that a state preferentially satisfies a proposition $\varphi \in \mathcal{L}$. Preferential entailment focusses on the preferred states among the states satisfying the proposition.

Definition 6 Let $P = (S, \models, <)$ be a preferential model, $s \in S$ be a state and let $\varphi \in \mathcal{L}$ be a proposition.

Then s preferentially satisfies φ , denoted by $s \models_{<} \varphi$, iff $s \models \varphi$ and for no $s' \in S$: $s' < s$ and $s' \models \varphi$.

We extend the notion of entailment of a proposition to set of propositions: $s \models \Sigma$ iff for every $\sigma \in \Sigma$, $s \models \sigma$. This immediately gives us the preferential entailment of a set of propositions: $s \models_{<} \Sigma$.⁵ We need $s \models_{<} \Sigma$ to define the preferential consequences of a set of propositions Σ . Preferential consequences are those propositions that are entailed (satisfied) by all states that preferentially satisfy the set of propositions Σ . We will use the *preferential entailment operator* $C_{<}$ to denote this set of consequences.

Definition 7 Let $P = (S, \models, <)$ be a preferential model, and let $\Sigma \subseteq \mathcal{L}$ be a set of propositions.

The preferential entailment operator is defined as:

$$C_{<}(\Sigma) = \{\varphi \in \mathcal{L} \mid \text{for all } s \in S, \text{ if } s \models_{<} \Sigma, \text{ then } s \models \varphi\}$$

3 A preferential model semantics for argumentation frameworks

In order to define a preferential semantics for an argumentation framework, we first have to determine how to interpret arguments. In an argumentation framework, an argument gives a reason for some belief. This reason can be invalidated if it contains defeasible steps [10]. Therefore, in terms of a preferential model, an *argument expresses that we prefer states that satisfy the belief supported by the argument.*

In an argumentation framework, we have abstracted from the internal structure of the argument and the specific belief supported by the argument. This implies that we cannot specify preference between states, based on the beliefs supported by the arguments. However, instead of states satisfying beliefs, *we may consider states satisfying arguments.* The idea is that a state satisfies the belief supported by an argument whenever the state satisfies the supporting argument. Hence, we should interpret the entailment relation \models of a preferential model $P = (S, \models, <)$ as relation between states and arguments: $\models \subseteq (S \times \mathcal{A})$. So, the language \mathcal{L} for which a preferential model is defined should consist of the set of arguments \mathcal{A} .

²The preferential model semantics should not be confused with the handling of conflicting arguments using a preference relation defined over the arguments; see for instance [4]. A preference relation over arguments expresses in some way the strength of an argument while a preference relation over states expresses that the world should correspond to one of the preferred states.

³A state s is said to entail or satisfy a proposition φ iff $s \models \varphi$.

⁴For historical reasons, namely minimizing exceptions, preference is associated with minimality.

⁵ $s \models_{<} \Sigma$ iff $s \models \Sigma$ and for no $s' < s$: $s' \models \Sigma$ iff $s \in \min_{<} \|\Sigma\|$ where $\|\Sigma\| = \{s \in S \mid s \models \Sigma\}$.

A state need not satisfy all arguments in \mathcal{A} . Especially, if an argument attacks another argument, a state cannot satisfy both arguments. A state cannot describe the world if it would satisfy arguments A and B while A attacks B ($A \longrightarrow B$).

Requirement 1 Every state $s \in S$ must be conflict-free. That is, if $A \longrightarrow B$, then $s \models A$ and $s \models B$ may not hold at the same time.

The set of arguments that are satisfied by a state $s \in S$ or a set of states $T \subseteq S$ will be denoted by $\mathcal{A}(s) = \{A \in \mathcal{A} \mid s \models A\}$ and $\mathcal{A}(T) = \bigcap_{s \in T} \mathcal{A}(s)$, respectively.

An attack relation between two arguments does not only express that both arguments cannot be entailed by one state. The attack relation also expresses a preference. *If an argument attacks another argument, we should prefer a state satisfying the attacking argument to a state satisfying the attacked argument.* Extending this preference generated by an attack relation between two arguments to the whole attack relation, we should prefer a state to another state if the arguments satisfied by the former state attack all arguments satisfied by the latter state but not by the former state.

Requirement 2 An attack relation \longrightarrow over arguments defines a preference relation over states.

We prefer a state s to a state s' if and only if every argument satisfied by the state s' that is no longer satisfied by s is attacked by an argument in s .

Requirement 2 enables us to define a weak preference relation \lesssim over a set of states S .

Definition 8 Let $AF = \langle \mathcal{A}, \longrightarrow \rangle$ be an argumentation framework. Moreover, let S be a set of states and let $\models \subset (S \times \mathcal{A})$ be an entailment relations over states and arguments.

The weak preference relation $\lesssim \subset (S \times S)$ is defined as:

$s \lesssim s'$ iff for every $B \in \mathcal{A}$ such that $s' \models B$ and $s \not\models B$, there is an $A \in \mathcal{A}$ such that $s \models A$ and $A \longrightarrow B$.

Note that the weak preference relation \lesssim is not strict. Consider for example the well known Nixon diamond in which we have an argument for Nixon being a pacifist and an argument for Nixon being a non-pacifist. Clearly the two arguments attack each other and without additional information we have no reason to prefer either of them. Hence, the preferences generated by mutual attacks cannot be strict.

Definition 6 of preferential entailment assumes that the preference relation is strict. If the preference relation $<$ of a preferential model is not strict, we cannot be sure that s' is a non-minimum state if $s < s'$. The states s and s' could also have the same preference, implying $s' < s$.

Since the preference relation \lesssim generated by the attack relation \longrightarrow is not strict, we have to transform it into a strict relation. We know that $s \lesssim s'$ does not indicate a strict preference if there exists a set of states $\{s_1, \dots, s_n\}$ such that:

$$s \lesssim s' \lesssim s_1 \lesssim \dots \lesssim s_n \lesssim s$$

Therefore, we define $s < s'$ as: $s \lesssim s'$ and $s' \not\lesssim^+ s$, where \lesssim^+ denotes the transitive closure of \lesssim .

Note that the preference relation $s \lesssim s'$ generated by the attack relations also holds if $\mathcal{A}(s') \subseteq \mathcal{A}(s)$. Nevertheless, we have to specify explicitly that we prefer states satisfying more (w.r.t. \subset) arguments. The reason is that loops in the preference relation \lesssim may involve preferences such as $\mathcal{A}(s') \subset \mathcal{A}(s)$. If we have a loop $s < s' \lesssim^+ s'' \lesssim s$ where $s < s'$ because $\mathcal{A}(s') \subset \mathcal{A}(s)$, then s'' is incomparable with both s and s' ; i.e., we also have $s' \lesssim^+ s'' \lesssim s'$. Since $\mathcal{A}(s') \subset \mathcal{A}(s)$, we should prefer s to s' .

Definition 9 Let $AF = \langle \mathcal{A}, \longrightarrow \rangle$ be an argumentation framework, and let \mathcal{L} be a language. Moreover, let \lesssim be the weak preference relation generated by \longrightarrow .

The preferential model $P = (S, \models, <)$ for the argumentation framework AF is defined as:

1. S is a set of states and for every **conflict-free** set of arguments $\mathcal{S} \subseteq \mathcal{A}$, there is exactly one state $s \in S$;
2. $\models \subseteq (S \times \mathcal{A})$ where for every conflict-free set of arguments $\mathcal{S} \subseteq \mathcal{A}$, there is state $s \in S$ such that $\mathcal{A}(s) = \mathcal{S}$;
3. $s < s'$ iff $\mathcal{A}(s') \subset \mathcal{A}(s)$, or $s \lesssim s'$ and $s' \not\lesssim^+ s$.

The first item in the above definition states that for every conflict-free set of arguments there is a state. The second item states that the entailment relation is defined between states and arguments (the language). Moreover, it specifies that for every consistent set of arguments there is a state satisfying exactly these arguments. The third item specifies the preference relation using the weak preference relation.

4 Examples of preferential models

Before formally analyzing the relation between the above defined preferential model semantics and the argumentation semantics, we will first look at some examples.

The first example is an argumentation framework with three arguments A , B and C and the attack relation shown in Figure 2. Figure 3.a shows the transitive reduction⁶ of the preference relation \lesssim generated




Figure 2: An attack chain.

by the argumentation framework. Figure 3.b shows the preference relation $<$. In this figure we see that there is one minimum state, which corresponds with the argument extension of the grounded, the preferred, the stable and the CF2 semantics.




Figure 3: Preferences generated by an attack chain.

The second example is an argumentation framework with two arguments A and B and the attack relation shown in Figure 4. Figure 5.a shows the transitive reduction of the preference relation \lesssim generated by the



Figure 4: An even attack loop.

argumentation framework. Figure 5.b shows the preference relation $<$. In this figure we see that there are two minimum states, which correspond with the two argument extensions of the preferred, the stable and the CF2 semantics. The argument extension of the grounded semantics is consistent with both preferred states.




Figure 5: Preferences generated by an even attack loop.




Figure 6: Preferences generated by an odd attack loop.

The third example is an argumentation framework with three arguments A , B and C and the attack relation shown in Figure 1.a, which forms an odd loop. Figure 6.a shows the transitive reduction of the

⁶The transitive reduction of \lesssim is the minimal sub-relation R of \lesssim such that \lesssim is contained in the transitive closure of R : $\lesssim \subseteq R^+$

preference relation \lesssim generated by the argumentation framework. Figure 6.b shows the preference relation $<$. In this figure we see that there are three minimum states, which correspond with the three argument extensions of the CF2 semantics. The argument extension of the grounded and preferred semantics are consistent with the preferred states.



Figure 7: Preferences generated by an odd attack loop with self-attack.

The fourth example is also an argumentation framework with three arguments A , B and C and the attack relation between them forming an odd loop. However, as shown in Figure 1.b, argument C also attacks itself. Figure 7.a shows the transitive reduction of the preference relation \lesssim generated by the argumentation framework. Figure 7.b shows the preference relation $<$. In this figure we see that, unlike the previous example, here there is one minimum state. The extension of the grounded and preferred semantics are consistent with this preferred state. The CF2 semantics specifies two argument extensions for the argumentation framework: $\{A\}$ and $\{B\}$. Only the first CF2-extension corresponds with the minimum state.

5 The relation between the two types of semantics

The examples presented in the previous section suggest that there is a relation between the proposed preferential model semantics and some of the well known argumentation semantics. In this section we will investigate this relation. Moreover, we define a new argumentation semantics and show that it is equivalent to the preferential model semantics. We conclude the section by showing that the closure property *cumulative* holds for the preferential model semantics and therefore also for the new argumentation semantics.

Preferred states and conflict-free set of arguments Given a preferential model, we are interested in the minimum / preferred states. The first thing that we can observe is that such a minimum state satisfies a maximal conflict-free set of arguments.

Proposition 1 *Let $P = (S, \models, <)$ be a preferential model for an argumentation framework $AF = \langle \mathcal{A}, \longrightarrow \rangle$. For every minimum s in S (w.r.t. $<$): $\mathcal{A}(s) = \{A \in \mathcal{A} \mid s \models A\}$ is a maximal conflict-free set of arguments.*

The relation with argumentation semantics The above proposition suggests a relation between argument extensions and preferred / minimum states of the preferential model. The following theorems make this relation explicit. The first theorem establishes a relation between the preferential model semantics and the *stable semantics*. A stable extension defends itself against all arguments not belonging to the extension. This implies that an argument A that is not attacked by the stable extension \mathcal{E} should belong to \mathcal{E} . A cannot attack \mathcal{E} because then the stable extension cannot exist. Therefore, a state s representing the stable extension \mathcal{E} must be a preferred / minimum (w.r.t. $<$) state. Moreover, arguments attacking the stable extension \mathcal{E} result in weakly preferring a state s' to s . Since a stable extension defends itself against all arguments that do not belong to the extension, s should be weakly preferred to s' .

Theorem 1 *Let $P = (S, \models, <)$ be a preferential model for an argumentation framework $AF = \langle \mathcal{A}, \longrightarrow \rangle$. $\mathcal{A}(s)$ is a stable extension iff s is a minimum state in S , and for any state $s' \in S$, if $s' \lesssim s$, then $s \lesssim s'$.*

The restriction on the weak preference relation that has been used to establish a relation with the stable semantics can also be used to establish a relation with the *preferred semantics*. The state s representing a preferred argument extension should also defend itself against all attacking arguments. However, the state s need not be a preferred / minimum state. In fact, the state representing a preferred extension is a minimum state among the states defending themselves against all attacking arguments. To identify the states defending themselves against all attacking arguments, we should only consider weakly preferred states where the

preference is completely due to attacking arguments. The following definition formalizes the restriction on the weak preference relation and defines the states that defend themselves against all attacking arguments. The latter states are called admissible states.

Definition 10 Let \lesssim be a preference relation as defined in Definition 8.

The preference relation that is the result of attacking arguments only is defined as:

$$\llapprox = \{(s, s') \mid s \lesssim s', \forall A \in (\mathcal{A}(s) - \mathcal{A}(s')): A \longrightarrow \mathcal{A}(s')\}$$

$s \in S$ is an admissible state iff for every state $s' \in S$ such that $s' \llapprox s$, $s \lesssim s'$.

A preferred / minimum (w.r.t. $<$) state among the admissible states correspond to a preferred extension.

Theorem 2 Let $P = (S, \models, <)$ be a preferential model for an argumentation framework $AF = \langle \mathcal{A}, \longrightarrow \rangle$. $\mathcal{A}(s)$ is a preferred extension iff s is a minimum (w.r.t. $<$) admissible state in S .

An argument is acceptable with respect to a set of arguments if the latter defends the former against all attacking arguments. We can define a somewhat similar notion in terms of preference over states of a preferential model. We introduce the notion of a state s that is acceptable with respect to another state s' . Since states are conflict-free, we will make use of the property that an argument can be added to a conflict-free set of arguments without introducing conflicts if the argument is acceptable w.r.t. this set. We therefore require that the state s satisfies at least the same set of arguments as the state s' . We must also ensure that arguments satisfied by s' defend the arguments satisfied by s against all attacking arguments. Arguments attacking the arguments of s can be described by states s'' such that $s'' \llapprox s$, and the defense by $s' \lesssim s''$.

Definition 11 A state s is acceptable with respect to a state s' iff $\mathcal{A}(s') \subseteq \mathcal{A}(s)$ and for every state $s'' \in S$ if $s'' \llapprox s$, then $s' \lesssim s''$.

We can now establish the relation with complete semantics.

Theorem 3 Let $P = (S, \models, <)$ be a preferential model for an argumentation framework $AF = \langle \mathcal{A}, \longrightarrow \rangle$. $\mathcal{A}(s)$ is a complete extension iff s is an admissible state in S and s is the only state that is acceptable with respect to s .

The grounded semantics selects the unique subset minimal complete extension.

Theorem 4 Let $P = (S, \models, <)$ be a preferential model for an argumentation framework $AF = \langle \mathcal{A}, \longrightarrow \rangle$. $\mathcal{A}(s)$ is a grounded argument extension iff s is a maximum (w.r.t. $<$) state among the states in S that are both admissible and for which s is the only state acceptable with respect to s .

The above four theorems imply that the set of preferred conclusions $C_{<}(\emptyset)$ of the preferential model correspond with the set of justified arguments.

Corollary 1 Let $P = (S, \models, <)$ be a preferential model for an argumentation framework $AF = \langle \mathcal{A}, \longrightarrow \rangle$. $C_{<}(\emptyset)$ is the set of justified arguments of the stable, preferred, complete and grounded semantics if the restrictions of Theorems 1, 2, 3 and 4 are applied, respectively.

A new argumentation semantics The preferential model semantics can be used to define a new argumentation semantics. The idea is to use the preference relation on states to give a new definition of acceptable arguments. We first define a preference relation on sets of arguments.

Definition 12 Let $AF = \langle \mathcal{A}, \longrightarrow \rangle$ be an argumentation framework and let $S, T \subseteq \mathcal{A}$ be two conflict-free sets of arguments.

The set of arguments T is at least as acceptable as S , denoted by $T \succsim S$, iff for every argument $B \in S - T$ there is an argument $A \in T - S$ such that: $A \longrightarrow B$.

The above defined \succsim -relation is not strict. Therefore to identify a maximally acceptable set of arguments, similar to the definition of the preference relation $<$ of a preferential model (Definition 9), we have to take into account loops of preferences.

Definition 13 Let $AF = \langle \mathcal{A}, \longrightarrow \rangle$ be an argumentation framework and let $\mathcal{T} \succsim \mathcal{S}$ be an acceptability relation.

A conflict-free set of arguments $\mathcal{E} \subseteq \mathcal{A}$ is a pm-extension iff for every conflict-free set of arguments $\mathcal{T} \subseteq \mathcal{A}$, if $\mathcal{T} \succsim \mathcal{E}$, then $\mathcal{E} \succsim^+ \mathcal{T}$ and $\mathcal{E} \not\subseteq \mathcal{T}$.

Because the pm-extensions are based on the preferential model semantics, it is not difficult to show that the minimum states correspond with the pm-extensions.

Theorem 5 Let $AF = \langle \mathcal{A}, \longrightarrow \rangle$ be an argumentation framework and let $P = (S, \models, <)$ be a corresponding preferential model.

For every pm-extension $\mathcal{E} \subseteq \mathcal{A}$, there is a minimum state $s \in S$ such that $\mathcal{E} = \mathcal{A}(s)$, and vice versa.

The closure property Cumulativity is generally considered to be a desirable property of non-monotonic reasoning systems. For argumentation frameworks it is less important since we normally determine the justified arguments starting from an empty set of arguments; i.e., $C_{<}(\emptyset)$. It may, however, be useful in creating a proof theory for the proposed preferential model semantics.

Proposition 2 Let $P = (S, \models, <)$ be a preferential model for an argumentation framework $AF = \langle \mathcal{A}, \longrightarrow \rangle$. Moreover, let the attack relation \longrightarrow contain a finite number of elements.

Then the consequence operator $C_{<}(\cdot)$ defined by the preferential model $P = (S, \models, <)$, is cumulative:

$$\text{if } \Sigma \subseteq \Gamma \subseteq C_{<}(\Sigma), \text{ then } C_{<}(\Sigma) = C_{<}(\Gamma)$$

6 Conclusion

In this paper a preferential model semantics for argumentation frameworks is proposed. The set of arguments entailed by a preferred / minimum state of the proposed preferential model corresponds to an argument extension and the set of preferentially entailed arguments corresponds to the set of justified arguments. In the presence of odd loops, the argument extensions generated by a preferential model are more inline with our intuitions than the argument extensions of the preferred and the CF2 semantics.

Relations with the grounded, complete, preferred and stable semantics are established by placing restrictions on the preference relation of the preferential model semantics.

Finally, based on the proposed preferential model semantics, a new argumentation semantics is proposed. This new argumentation semantics leads to the same set of conclusions as the preferential model semantics.

References

- [1] P. Baroni and M. Giacomin. On principle-based evaluation of extension-based argumentation semantics. *Artificial Intelligence*, 171:675–700, 2007.
- [2] P. Baroni, M. Giacomin, and G. Guida. Scc-recursiveness: a general schema for argumentation semantics. *Artificial Intelligence*, 168:162–210, 2005.
- [3] T.J.M. Bench-Capon and P. E. Dunne. Argumentation in artificial intelligence. *Artificial Intelligence*, 171:619–641, 2007.
- [4] Y. Dimopoulos, P. Moraitis, and L. Amgoud. Theoretical and computational properties of preference-based argumentation. In *ECAI 2008*, pages 463–467, 2008.
- [5] P. M. Dung. On the acceptability of arguments and its fundamental role in nonmonotonic reasoning, logic programming and n -person games. *Artificial Intelligence*, 77:321–357, 1995.
- [6] S. Kraus, D. Lehmann, and M. Magidor. Nonmonotonic reasoning, preferential models and cumulative logics. *Artificial Intelligence*, 44:167–207, 1990.
- [7] D. Makinson. General theory of cumulative inference. In M. Reinfrank, J. de Kleer, M. L. Ginsberg, and E. Sandewall, editors, *Proceedings of the second International Workshop on Non-monotonic Reasoning*, pages 1–18. Springer-Verlag, 1988.
- [8] David Makinson. Nonmonotonic reasoning and uncertain reasoning. In Dov Gabbay, editor, *Handbook of Logic in Artificial Intelligence and Logic Programming*, volume 3, pages 35–110. 1994.
- [9] Y. Shoham. A semantical approach to non-monotonic logics. In *Proceedings of the Tenth International Joint Conference on Artificial Intelligence*, pages 388–392, 1987.
- [10] S. Toulmin. *The uses of argument*. Cambridge University Press, 1958.